

सिजुवा, मोरंग १ नं. प्रदेश, नेपाल

प.सं. ०७७/७८ मितिः २०७८/०१/०९

च.नं.

सवारीसाधन खरिद सम्बन्धी शिलवन्दी प्रस्ताव आह्वान गरिएको सूचना

(प्रथम पटक प्रकाशित मिति: २०७८/०१/०९)

यस कार्यालयको चालु आ.व. मा सार्वजनिक खरिद ऐन, २०६३ तथा सार्वजनिक खरिद नियमावली, २०६४ बमोजिम "उत्पादक वा अधिकृत बिक्रेताद्धारा निर्धारित दरमा (क्याटलग सपिङ्ग) खरिद गर्ने विधि २०७४ " बाट विभिन्न सवारीसाधन खरिद गर्नुपर्ने भएकोले ईच्छुक उत्पादक कम्पनी वा आधिकारिक विक्रेताहरूले यो सूचना प्रकाशित भएको मितिले ७ (सात) दिनभित्र कार्यालय समयमा निम्न शर्तहरूको अधिनमा रही प्रस्ताव दर्ता गर्न यो सूचना प्रकाशित गरिएको छ। तपशिल:

- १. ईच्छुक इजाजत प्राप्त उत्पादक कम्पनी वा त्यसको आधिकारिक बिक्रेताहरुले आ—आफ्नो फर्म दर्ता, भ्याट दर्ता, Letter of Authorization र अद्यावधिक आ.ब.को आयकर चुक्ता प्रमाणपत्रहरुको प्रतिलिपीहरु समावेश गरि सिलबन्दी प्रस्ताव यस कार्यालयमा दर्ता गर्न सिकनेछ।
- २. यो सूचना प्रकाशित भएको मितिले ७ औं दिन सम्ममा कार्यालय समय भित्र सवारी साधन बिक्री गर्न चाहने उत्पादक कम्पनी वा त्यसको अधिकृत/आधिकारिक बिक्रेताले उत्पादनको आधिकारिक स्पेसिफिकेशन, गुणस्तर, मूल्य र सुविधा सिहतको विवरण (क्याटलग वा ब्रोसर) संलग्न राखी यस कार्यालयमा शिलवन्दी सिहतको प्रस्ताव दर्ता गरिसक्नु पर्नेछ। सो दिन सार्वजनिक विदा परेमा सम्पूर्ण कार्यहरु सो को भोलिपल्ट हुनेछ।
- सिलबन्दी प्रस्ताव पेश गर्दा प्रस्तावदाताको ग्राह्मता सम्बन्धि आधार प्रमाणित गर्ने सम्पूर्ण कागजातहरुको सम्बन्धमा स्व-घोषणा अनिवार्य रुपमा पेश गर्नुपर्ने छ ।
- ४. सिलबन्दी प्रस्ताव राखिएको खाम बाहिर "कार्यालयको नाम र ठेक्का नं. मोटरसाइकलको हकमा Rmun/CS/G/01/077-78 मोटरसाइकल खरिद , ट्रयाक्टर को हकमा Rmun/CS/G/02/077-78,ट्रयाक्टर खरिद , एम्बुलेन्सको हकमा Rmun/CS/G/03/077-78, एम्बुलेन्स खरिद र सव बाहन को हकमा Rmun/CS/G/04/077-78 सव बाहान खरिद भन्ने शब्द लेखि सिलबन्दी गरिएको हुनुपर्नेछ।
- ५. यसरी दर्ता हुन आएका सिलबन्दी प्रस्ताव ७ औं दिनको सोहि दिन कार्यालयको प्रतिनिधिहरू र प्रस्तावदाताहरूको रोहवरमा खोलिनेछ। प्रस्तावदाताहरू अनुपस्थित रहेमा पनि प्रस्ताव खोल्न बाधा पर्ने छैन।
- ६. सिलबन्दी प्रस्ताव पेश गर्नेले धरौटी रकम वापत रकम जम्मा गर्नु पर्ने छैन।
- ि. सिलबन्दी प्रस्ताव स्वीकृत भएपछि कम्तीमा तीन दिन र बिढमा पाँच दिनको समय अविध दिई लिखित रूपमा सिलबन्दी
 आर्थिक प्रस्ताव (तोकिएको मूल्य र सुविधा मध्ये मूल्यमा छुट वा सुविधामा थप हुन सक्ने विवरण) माग गिरनेछ।
- ८. न्यूनतम मूल्याङ्कित सारभूत रूपमा प्रभावग्राही स्वीकृत प्रस्तावदाताले खरिद सम्झौता गर्दा कबोल गरेको अङ्कको सार्वजिनक खरिद नियमावली, २०६४ को नियम ११० बमोजिम हुने गरी धरौटी रकम वा नगद जम्मा गरेको सक्कलै बैंक भौचर वा यस कार्यालयको नाममा मान्यता प्राप्त बैंकले जारी गरेका कार्य सम्पादन जमानत वापत पेश गरी स्वीकृत भएको ७ (सात) दिन भित्र सम्झौताको लागि कार्यालयमा उपस्थित हुनुपर्नेछ।
- सिलबन्दी प्रस्तावमा उल्लेखित परिमाणको सवारीसाधन आपूर्ति गर्ने प्रयोजनार्थः रतुवामाई नगरकार्यपालिकाको कार्यालय, सिजुवा, मोरंग सम्म वा सम्झौता अनुसार ल्याउनुपर्नेछ।



सिजुवा, मोरंग

१ नं. प्रदेश, नेपाल

- १०. कबोल रकम उल्लेख गर्दा तोकिए बमोजिम लेख्नुपर्नेछ। अङ्क र अक्षरमा फरक परेमा अक्षरलाई मान्यता दिईनेछ।
- ११. कुनै शर्त राखी पेश गरिएको शि**लबन्दी प्रस्ताव स्वीकार गर्ने वा नगर्ने सम्पूर्ण अधिकार कार्यालयमा सुरक्षित रहनेछ।**
- १२. सूचनाको शर्त विपरित भएको, का**र्यालयबाट उपलब्ध गराएको स्पेशिफिकेशनमा कुनै थपघट गरिएको**, रीत नपुगेको, म्याद नाघी पेश हुन आएको प्रस्ताव उपर कुनै कारवाही गरिने छैन।
- १३. सूचनामा उल्लेख भएकोमा सोही बमोजिम र अन्यको हकमा सार्वजनिक खरिद ऐन, २०६३ र नियमावली, २०६४ बमोजिम हुनेछ।
- १४. थप बुझ्नु परेमा फोन नं. ९८५२६८४९५४ मा सम्पर्क राख्न सक्नु हुनेछ।
- १५. उल्लेखित सूचनामा आवश्यक कुराहरु संशोधन गर्नुपर्ने भएमा कार्यालयको सूचना पाटीमा टाँस गरिनेछ । आपुर्ति गर्नुपर्ने सामानः

		બાવાલ પંયુપ્ત લાખાન		
ठेक्का नं.	कामको विवरण	स्पेशिफि केशन	संख्या	कैफियत
Rmun/CS/ G/01/077- 78	Vehicle, Motorcycle	 Motorcycle suitable for normal and rough road driving in Nepal at an altitude up to 2000 meter and in ambient temperature -5 to 50 degree centigrade. Kerb weight of the motorcycle shall not be less than 130 kgs and shall have seated capacity for at least 2 passenger including driver. 4-stroke, Petrol Engine, Engine displacement 158 (+5%)cc developing Maximum Power output not less than 16 ps at governed RPM developing maximum torque not less than 14 N-m, for efficient running of motorcycle, starting system with self and kick or only self. The emission standard of the offered vehicle must be in compliance with or superior than the applicable Standard as prescribed by Nepal Vehicle Mass Emission Standard which is to be certified by Department of Transport Management, Nepal Wheelbase: Minimum 1350 mm Clutch: Multi plate, wet plate. Ground clearance: minimum 180 mm. 5 gears. Self Starter/Kick Starter with Self Fuel Tank Capicity: minimum 12 Ltrs. Suspension Front: Telescope hydraulic shock absorber/telescopic front fork with anti friction bush Rear: Swing arm with double hydraulic shock / Monoshock/ Nitrox shock absorber 	४ (चार)	संक्षिप्त विवरणमा उल्लेख नभएका कुराहरू Technical Specification बमोजिम हुनेछ ।



सिजुवा, मोरंग

१ नं. प्रदेश, नेपाल

Rmun/CS/G /02/077-78	Vehicle, Tractor	 General: Farm tractor, two/four wheel drive, suitable for farm work driving smooth economical performance and in suitable for hilly/ terai in Nepal . Wheelbase should be min.1900 mm. Four stroke, & cylinder, 2700 to 3750cc, Direct ignition Diesel Engine developing Maximum rated power output 55 (+/- 5) HP at governed RPM with PTO rated RPM min. 540 at governed RPM, engine fully equiped with accessories for efficient full load operation of the vehicle at operating conditions. Ground Clearence: Minimum 370 mm Clutch: Dry type single/ daul Dimension: Box type trailer minimum dimension 10'×6'×3' having hydraulic cylinder of lifting capacity minimum 1500 kg Body Flour Sheet: minimum 3mm thick and all side sheet minimum 2mm thick standerd steel Axle: At least 1 (one) nos., Tyre tube 2 nos. standerd/9.00×20 Transmission: Constant mesh, Manual shift at least 8 forward and 2 reverse 	9 (एक)	संक्षिप्त विवरणमा उल्लेख नभएका कुराहरु Technical Specification बमोजिम हुनेछ ।
Rmun/CS/G/ 03/077-78	Vehicle, Ambulance	 • 4WD Ambulance, Right Hand Drive model suitable for driving in Nepal at an altitude upto 2500 meter and in ambient temperature -5 to 50 degree centigrade. Gross Vehicle Weight of the Vehicle shall not be less than 2700 kg. • Turbocharged intercooled diesel Engine Min. 2000 CC, developing Maximum rated power output min. 85 HP at governed RPM with torque min. 200 NM @ governed RPM, engine fully equiped with accessories for efficient full load operation of the vehicle at operating conditions. • The Emission Standard of the vehicle should be "Vehicle Mass Emission Standard" of Nepal Which is to be certified by Department of Transport Mangement, Nepal Management, Nepal. • Clutch: Single plate dry Diaphragm type • Ground clearance: Minimum 190 mm (High Ground Clrarence Preferred) • Cab: 3 doors, 2 doors at front and one rear side all metalic cab with insulated roof, right hand drive (RHD), laminated glass wind screen, wipers, glass windows on doors, through ventilation, comfortable and adjustable seats for driver and passenger, floor mats, two sun visors and two side view mirror and rear view mirror. Rear body to be metallic, ambulance type. • Transmissions: Manual shift at least five forward and one reverse, synchromesh on all gears • Suspension: Semi Elliptical Leaf Springs/independet with solid torsion bar, hydraulic telescopic shock absorber and anti roll bar. • Fuel Tank Capicity: Minimum 45 Litres 	9 (एक)	संक्षिप्त विवरणमा उल्लेख नभएका कुराहरु Technical Specification बमोजिम हुनेछ ।



सिजुवा, मोरंग

१ नं. प्रदेश, नेपाल

		E 1 11' B'1/1 11' B 41 1	 1
Rmun/CS/G/ 04/077-78	4WD Vehicle (Dead Body Carrier)	 Four wheel drive, Right hand drive, Death body vehicle ambulance type(hearses), suitable for smooth economical performance, good traction and stability needed for safe driving in rough and hilly road condition of Nepal at an altitude up to 2500 meter and in ambient temperature between -5 degree C to 50 degree C Maximum Gross Vehicle Weight (GVW) of the vehicle should be 2500 kg. 4 Stroke Water cooled diesel engine, Developing maximum rated power output not less than 46 kw at governed RPM and Maximum engine torque not less than 110 Nm at rated RPM; the engine shall be fully equipped with all necessary item/accessories and controlling devices for safe, efficient full load operation of the vehicle at operating conditions The emission standard of the offered vehicle must be in compliance with of superior than the applicable emission standard as prescribed by Nepal vehicle mass emission standard which is to be certified by Department of Transport Management, Nepal. Maximum Turning Radius: 7m Clutch: Single dry plate. Ground clearance: Minimum 160 mm Cab: 2 side doors and 1 back door, all metallic cabin with insulated roof, laminated glass windscreen, wipers, glass windows on doors, through ventilation, comfortable and adjustable seats for driver and co-passenger, two sun visors, and two rear view mirror Transmissions: Manual shift at least five forward and one reverse, all forward synchromesh Suspension: Leaf springs/ coil springs / Torsion bar / shock absorber at both front and rear 	संक्षिप्त विवरणमा उल्लेख नभएका कुराहरु Technical Specification बमोजिम हुनेछ ।